[29th November 1928

APPENDIX XV.

[Vide answer to question No. 954 asked by Mr. K. V. R. Swami at the meeting of the Legislative Council held on the 29th November 1928 page 462 supra.]

Statement showing number of tanks in charge of the Public Works Department irrigating 500 acres and more in each district.

Serial number and name of district.	Number of tanks in charge of the Public Works Department irrigating 500 acres and more	Serial number and name of district.	Number of tanks in charge of the Public Works Department irrigating 500 acres and more.
1. Ganjam	5	12. Tanjore	12
2. Vizagapatam	7	13. Trichinopoly	13
3. Godavari, East	10	14. Madura	19
4. Godavari, West	10	15. Ramnad	6
5. Kistna	5	16. Tinnevelly	25
6. Guntur	5	17. Salem	9
7. Nellore	55	18. Coimbatore	11
8. Chingleput	115	19. Cuddapah	13
9. Chittoor	5	20. Anantapur	25
10. North Arcot	14	21. Bellary	7
11. South Arcot	50	22. Kurnool	7

APPENDIX XVI.

[Vide answer to question No. 957 asked by Mr. T. Adinarayana Chettiyar at the meeting of the Legislative Council held on the 29th November 1928, page 463 supra.]

Letter, dated 4th September 1928, from the Executive Engineer, North Arcot division, Vellore.

(Kaveripauk tank.)

As the tank is many centuries old the original dimensions and capacity are not known.

The present dimensions are :—

Waterspread—about 7 square miles.

Depth	30·90	This is depth to sill of lowest sluice. It is probable that even centuries ago a leading channel would have to be dug to this depth.
Capacity, etc. ...	1,268 million cubic feet.	

TAMIL NADU LEGISLATIVE ASSEMBLY